## AUTHOR INDEX TO VOLUME 21


| *Issue* | *Page* | | |
|---|---|---|---|
| 1 | 91 | Aldea, N. | Fourier analysis of EXAFS data, a self-contained Fortran program package. |
| 2 | 163 | Allen, P.D. | Analysis of photonuclear yield curves by the variable Bin Penfold-Leiss method. |
| 3 | 385 | Ammeter, J. | Simulation of EPR-spectra of randomly oriented samples. |
| 3 | 315 | Banuelos, A. | A program for computing the Fermi-Dirac functions. |
| 3 | 297 | Barnett, A.R. | An algorithm for regular and irregular Coulomb and Bessel functions of real order to machine accuracy. |
| 2 | 271 | Beniaminy, I. | A spline-based method for experimental data deconvolution. |
| 3 | 323 | Berger, D. | ERATO stability code. |
| 3 | 323 | Bernard, L.C. | ERATO stability code. |
| 1 | 51 | Bordure, G. | A computer-aided modelling of Cu2S - CdS solar cells. |
| 3 | 437 | Boris, J.P. | Erratum notice. ALFVEN: a two-dimensional code based on SHASTA, solving the radiative, diffusive MHD equations. |
| 1 | 97 | Brandt, M.A. | New version of program for calculating differential and integral cross sections for quantum mechanical scattering problems from reactance or transition matrices. |
| 2 | 145 | Chamayou, J.M.F. | Averaging shifted histograms. |
| 1 | 109 | Coleman, J.P. | A Fortran subroutine for the Bessel function Jn(x) of order 0 to 10. |
| 1 | 79 | Collins, L.A. | VLAM: a program for computing the electron-molecule static interaction potential from a Legendre expansion of the molecular charge density. |
| 3 | 431 | Copley, J.R.D. | Monte Carlo calculation of multiple scattering effects in thermal neutron scattering experiments: improved computation of elastic coherent scattering intensities. |
| 3 | 397 | Cuperman, S. | A numerical code for the phase-space boundary integration of water bag plasmas. |
| 3 | 385 | Daul, C. | Simulation of EPR-spectra of randomly oriented samples. |
| 3 | 315 | Depine, R.A. | A program for computing the Fermi-Dirac functions. |
| 2 | 271 | Deutsch, M. | A spline-based method for experimental data deconvolution. |
| 3 | 421 | Ferguson, R.D. | A Fortran program to fit diffusion models to field-gradient spin echo data. |
| 2 | 247 | Fincham, D. | Programs for the molecular dynamics simulation of liquids: I. Spherical molecules with short-ranged interactions. |
| 3 | 293 | Fontan, C.F. | Comments on a time-dependent ionization algorithm. |

| *Issue* | *Page* | | |
|---|---|---|---|
| 3 | 385 | Gamp, E. | Simulation of EPR-spectra of randomly oriented samples. |
| 3 | 437 | Gardner, J.H. | Erratum notice. ALFVEN: a two-dimensional code based on SHASTA, solving the radiative, diffusive MHD equations. |
| 2 | 207 | Grant, I.P. | An atomic multiconfigurational Dirac-Fock package. |
| 2 | 233 | Grant, I.P. | A program to calculate transverse Breit and QED corrections to energy levels in a multi-configuration Dirac-Fock environment. |
| 3 | 323 | Gruber, R. | ERATO stability code. |
| 3 | 407 | Harris, M.J. | Calculation of (eta,gamma) cross-sections and astrophysical reaction rates by the nuclear statistical model. |
| 1 | 91 | Indrea, E. | Fourier analysis of EXAFS data, a self-contained Fortran program package. |
| 1 | 51 | Jacquemin, J.L. | A computer-aided modelling of Cu2S - CdS solar cells. |
| 2 | 257 | Jenkins, H.D.B. | LATEN: a complete lattice energy program. |
| 3 | 323 | Kerner, W. | ERATO stability code. |
| 3 | 287 | Kirby, G.H. | Computer graphics and stereoscopy for three-dimensional data. |
| 3 | 279 | Langbein, W. | Inversion of Monte Carlo calculations and constrained minimalisation. |
| 3 | 295 | Magill, J. | Reply to 'Comments on a time dependent ionization algorithm'. |
| 1 | 1 | Makhankov, V. | Computer experiments in soliton theory. |
| 3 | 293 | Mancini, R.C. | Comments on a time-dependent ionization algorithm. |
| 3 | 315 | Mancini, R.C. | A program for computing the Fermi-Dirac functions. |
| 3 | 279 | Mattheus, A. | Inversion of Monte Carlo calculations and constrained minimalisation. |
| 2 | 207 | Mayers, D.F. | An atomic multiconfigurational Dirac-Fock package. |
| 2 | 207 | McKenzie, B.J. | An atomic multiconfigurational Dirac-Fock package. |
| 2 | 233 | McKenzie, B.J. | A program to calculate transverse Breit and QED corrections to energy levels in a multi-configuration Dirac-Fock environment. |
| 3 | 385 | Mohos, B. | Simulation of EPR-spectra of randomly oriented samples. |
| 3 | 397 | Mond, M. | A numerical code for the phase-space boundary integration of water bag plasmas. |
| 1 | 63 | Morrison, M.A. | ALAM: a program for the calculation and expansion of molecular charge densities. |
| 2 | 163 | Muirhead, E.G. | Analysis of photonuclear yield curves by the variable Bin Penfold-Leiss method. |
| 1 | 79 | Norcross, D.W. | VLAM: a program for computing the electron-molecule static interaction potential from a Legendre expansion of the molecular charge density. |
| 2 | 207 | Norrington, P.H. | An atomic multiconfigurational Dirac-Fock package. |
| 2 | 233 | Norrington, P.H. | A program to calculate transverse Breit and QED corrections to energy levels in a multi-configuration Dirac-Fock environment. |
| 2 | 185 | Olszewski, E.A. | A program for perspective views of three-dimensional surfaces. |
| 1 | 97 | Onda, K. | New version of program for calculating differential and integral cross sections for quantum mechanical scattering problems from reactance or transition matrices. |

| *Issue* | *Page* | | |
|---|---|---|---|
| 2 | 257 | Pratt, K.F. | LATEN: a complete lattice energy program. |
| 2 | 207 | Pyper, N.C. | An atomic multiconfigurational Dirac-Fock package. |
| 3 | 287 | Rixon, A. | Computer graphics and stereoscopy for three-dimensional data. |
| 3 | 323 | Roberts, K.V. | ERATO stability code. |
| 3 | 323 | Rousset, S. | ERATO stability code. |
| 1 | 119 | Routti, J.T. | General purpose unfolding program LOUHI78 with linear and nonlinear regularizations. |
| 1 | 119 | Sandberg, J.V. | General purpose unfolding program LOUHI78 with linear and nonlinear regularizations. |
| 3 | 385 | Schlapfer, C.W. | Simulation of EPR-spectra of randomly oriented samples. |
| 1 | 79 | Schmid, G.B. | VLAM: a program for computing the electron-molecule static interaction potential from a Legendre expansion of the molecular charge density. |
| 3 | 323 | Schneider, W. | ERATO stability code. |
| 3 | 323 | Schreiber, R. | ERATO stability code. |
| 2 | 195 | Stone, A.J. | Root-rational-fraction package for exact calculation of vector-coupling coefficients. |
| 2 | 163 | Su Su | Analysis of photonuclear yield curves by the variable Bin Penfold-Leiss method. |
| 2 | 185 | Thompson, W.J. | A program for perspective views of three-dimensional surfaces. |
| 3 | 323 | Troyon, F. | ERATO stability code. |
| 1 | 97 | Truhlar, D.G. | New version of program for calculating differential and integral cross sections for quantum mechanical scattering problems from reactance or transition matrices. |
| 3 | 421 | Von Meerwall, E.D. | A Fortran program to fit diffusion models to field-gradient spin echo data. |
| 3 | 437 | Weber, W.J. | Erratum notice. ALFVEN: a two-dimensional code based on SHASTA, solving the radiative, diffusive MHD equations. |
| 2 | 195 | Wood, C.P. | Root-rational-fraction package for exact calculation of vector-coupling coefficients. |
| 3 | 373 | Zlokazov, V.B. | SMOOS: a program for the filtration of non-stationary statistical series. |

## PROGRAM INDEX TO VOLUME 21

### Astrophysics

| *Issue* | *Page* | *Cat.no.* | |
|---|---|---|---|
| 3 | 407 | ABVV | HFNX (Fortran). Calculation of (eta,gamma) cross-sections and astrophysical reaction rates by the nuclear statistical model. M.J. Harris. |
| 3 | 437 | ABUX | 000A CORRECTION 26/09/80 (Fortran). ALFVEN: a two-dimensional code based on SHASTA, solving the radiative, diffusive MHD equations. W.J. Weber, J.P. Boris and J.H. Gardner. |

### Atomic Physics

| | | | |
|---|---|---|---|
| 1 | 91 | ACUF | EXAFS 1,2,3,4,5 (Fortran). Fourier analysis of EXAFS data, a self-contained Fortran program package. E. Indrea and N. Aldea. |
| 1 | 97 | AAJE | DCS2 (Fortran). New version of program for calculating differential and integral cross sections for quantum mechanical scattering problems from reactance or transition matrices. K. Onda, D.G. Truhlar and M.A. Brandt. See other versions of this program ACRL 5(1973)456, ACRL0001 7(1974)172. |
| 2 | 195 | ABVN | ROOT RATIONAL FRACTION PACKAGE (Fortran). Root-rational-fraction package for exact calculation of vector-coupling coefficients. A.J. Stone and C.P. Wood. |
| 2 | 207 | AANC | MCDF (Fortran). An atomic multiconfigurational Dirac-Fock package. I.P. Grant, B.J. McKenzie, P.H. Norrington, D.F. Mayers and N.C. Pyper. Subroutines required by this program are AAHD 8(1974)151, ACRI 4(1972)377. |
| 2 | 233 | AAND | MCBP/BENA (Fortran). A program to calculate transverse Breit and QED corrections to energy levels in a multi-configuration Dirac-Fock environment. B.J. McKenzie, I.P. Grant and P.H. Norrington. Subroutine required by this program is AANC 21(1980)207. |

### Chemistry

| | | | |
|---|---|---|---|
| 3 | 421 | ABNI | DIFFUS5 (Fortran). A Fortran program to fit diffusion models to field-gradient spin echo data. E.D. von Meerwall and R.D. Ferguson. See other version of this program ABNE 17(1979)309. |

### Crystallography

| | | | |
|---|---|---|---|
| 3 | 385 | ABVG | POWDER (Fortran). Simulation of EPR-spectra of randomly oriented samples. C. Daul, C.W. Schlapfer, B. Mohos, J. Ammeter and E. Gamp. |

**General Purpose**


| | | | |
|---|---|---|---|
| 1 | 109 | ABVM | REALJN (Fortran). A Fortran subroutine for the Bessel function Jn(x) of order 0 to 10. J.P. Coleman. |
| 1 | 119 | AAVD | LOUHI78 (Fortran). General purpose unfolding program LOUHI78 with linear and nonlinear regularizations. J.T. Routti and J.V. Sandberg. |
| 2 | 185 | ABVL | TDPLOT3 (Fortran). A program for perspective views of three-dimensional surfaces. E.A. Olszewski and W.J. Thompson. |
| 2 | 195 | ABVN | ROOT RATIONAL FRACTION PACKAGE (Fortran). Root-rational-fraction package for exact calculation of vector-coupling coefficients. A.J. Stone and C.P. Wood. |
| 2 | 271 | ABVR | DECONV (Fortran). A spline-based method for experimental data deconvolution. I. Beniaminy and M. Deutsch. |
| 3 | 315 | ABVP | FERMI-DIRAC FUNCTIONS (Fortran). A program for computing the Fermi-Dirac functions. A. Banuelos, R.A. Depine and R.C. Mancini. |
| 3 | 373 | ABVQ | SMOOS,SMOSI (Fortran). SMOOS: a program for the filtration of non-stationary statistical series. V.B. Zlokazov. |


**Molecular Physics**


| | | | |
|---|---|---|---|
| 1 | 63 | ACZW | ALAM (Fortran). ALAM: a program for the calculation and expansion of molecular charge densities. M.A. Morrison. |
| 1 | 79 | ACZX | VLAM (Fortran). VLAM: a program for computing the electron-molecule static interaction potential from a Legendre expansion of the molecular charge density. G.B. Schmid, D.W. Norcross and L.A. Collins. |
| 2 | 247 | ABVO | MDATOM (Fortran). Programs for the molecular dynamics simulation of liquids: I. Spherical molecules with short-ranged interactions. D. Fincham. |


**Nuclear Physics**


| | | | |
|---|---|---|---|
| 1 | 97 | AAJE | DCS2 (Fortran). New version of program for calculating differential and integral cross sections for quantum mechanical scattering problems from reactance or transition matrices. K. Onda, D.G. Truhlar and M.A. Brandt. See other versions of this program ACRL 5(1973)456, ACRL0001 7(1974)172. |
| 1 | 119 | AAVD | LOUHI78 (Fortran). General purpose unfolding program LOUHI78 with linear and nonlinear regularizations. J.T. Routti and J.V. Sandberg. |
| 2 | 163 | AAVC | VBPL (Fortran). Analysis of photonuclear yield curves by the variable Bin Penfold-Leiss method. P.D. Allen, Su Su and E.G. Muirhead. |
| 2 | 195 | ABVN | ROOT RATIONAL FRACTION PACKAGE (Fortran). Root-rational-fraction package for exact calculation of vector-coupling coefficients. A.J. Stone and C.P. Wood. |
| 3 | 407 | ABVV | HFNX (Fortran). Calculation of (eta,gamma) cross-sections and astrophysical reaction rates by the nuclear statistical model. M.J. Harris. |

**Plasma Physics**

| | | | |
|---|---|---|---|
| 3 | 323 | ABVS | ERATO (Fortran). ERATO stability code. R. Gruber, F. Troyon, D. Berger, L.C. Bernard, S. Rousset, R. Schreiber, W. Kerner, W. Schneider and K.V. Roberts. |
| 3 | 397 | ABVU | PHASE SPACE BOUNDARY INTEGRATION (Fortran). A numerical code for the phase-space boundary integration of water bag plasmas. S. Cuperman and M. Mond. |
| 3 | 437 | ABUX | 000A CORRECTION 26/09/80 (Fortran). ALFVEN: a two-dimensional code based on SHASTA, solving the radiative, diffusive MHD equations. W.J. Weber, J.P. Boris and J.H. Gardner. |

**Quantum Chemistry**

| | | | |
|---|---|---|---|
| 1 | 63 | ACZW | ALAM (Fortran). ALAM: a program for the calculation and expansion of molecular charge densities. M.A. Morrison. |
| 1 | 79 | ACZX | VLAM (Fortran). VLAM: a program for computing the electron-molecule static interaction potential from a Legendre expansion of the molecular charge density. G.B. Schmid, D.W. Norcross and L.A. Collins. |

**Solid State Physics**

| | | | |
|---|---|---|---|
| 1 | 91 | ACUF | EXAFS 1,2,3,4,5 (Fortran). Fourier analysis of EXAFS data, a self-contained Fortran program package. E. Indrea and N. Aldea. |
| 2 | 257 | ACMU | LATEN (Fortran). LATEN: a complete lattice energy program. H.D.B. Jenkins and K.F. Pratt. See other version of this program ACMO 13(1977)341. |
| 3 | 421 | ABNI | DIFFUS5 (Fortran). A Fortran program to fit diffusion models to field-gradient spin echo data. E.D. von Meerwall and R.D. Ferguson. See other version of this program ABNE 17(1979)309. |
| 3 | 431 | ACIC | 0003 NEW ELSCAT SUBROUTINE (Fortran). Monte Carlo calculation of multiple scattering effects in thermal neutron scattering experiments: improved computation of elastic coherent scattering intensities. J.R.D. Copley. |